

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/304358633>

LiveLabs: Building In-Situ Mobile Sensing & Behavioural Experimentation TestBeds

Conference Paper · June 2016

DOI: 10.1145/2906388.2906400

CITATIONS

20

READS

197

5 authors, including:



Kasthuri Jayarajah

Singapore Management University

34 PUBLICATIONS 289 CITATIONS

SEE PROFILE



Meeralakshmi Radhakrishnan

Agency for Science, Technology and Research (A*STAR)

18 PUBLICATIONS 173 CITATIONS

SEE PROFILE



Archan Misra

Singapore Management University

381 PUBLICATIONS 9,448 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



medially [View project](#)



WHO project on the development of Vaccine against Kala Azar [View project](#)

LiveLabs: Building In-Situ Mobile Sensing & Behavioural Experimentation TestBeds

Kasthuri Jayarajah, Rajesh Krishna Balan, Meera Radhakrishnan,
Archan Misra, and Youngki Lee

School of Information Systems, Singapore Management University
{kasthuri.2014,meeralakshm.2014}@phdis.smu.edu.sg, {rajesh,youngkilee,archanm}@smu.edu.sg

ABSTRACT

In this paper, we present *LiveLabs*, a first-of-its-kind testbed that is deployed across a university campus, convention centre, and resort island and collects real-time attributes such as location, group context etc., from hundreds of opt-in participants. These venues, data, and participants are then made available for running rich *human-centric behavioural experiments* that could test new *mobile sensing* infrastructure, applications, analytics, or more social-science type hypotheses that influence and then observe actual user behaviour. We share case studies of how researchers from around the world have and are using *LiveLabs*, and our experiences and lessons learned from building, maintaining, and expanding *LiveLabs* over the last three years.

Keywords

Mobile Sensing; Experimentation; Testbed

1. INTRODUCTION

A key desire for many mobile computing researchers is the opportunity to test their hypotheses, systems, and techniques on real users in real environments in realistic ways. However, making this happen is hard: in particular, you need to recruit participants, secure an environment where such participants will exhibit natural behavior, and finally, put in all the instrumentation necessary to accurately trigger your experiment as well as to collect the data needed to evaluate the effectiveness of the experiment. All of these steps are hard, painful, and sometimes impossible to do.

For example, recruiting participants can take many man-months of work to manage recruitment calls, screen the responses for suitability, engage with suitable candidates to collect demographics data, and to keep them interested and informed about the experiments, and finally, follow up with payment and other paperwork, where necessary. Next, securing a suitable test environment can also take many man-months as the venue owner needs to be convinced that running experiments in their venue is acceptable. For example, even at universities, this may involve long negotiations with the facilities management staff as well as the institutional review board. Finally, instrumenting the environment is strenuous

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

MobiSys '16, June 25–30, 2016, Singapore.

© 2016 ACM. ISBN 978-1-4503-4269-8/16/06...\$15.00

DOI: <http://dx.doi.org/10.1145/2906388.2906400>

as some types of useful experiment data, such as where the participants went or who they were with, is hard to capture without in-environment sensors. As such, experimenters often resort to instrumenting a mobile application and asking the participants to download that app and run it. However, this limits the types of data that can be collected and also the participant pool – as the app may only work on Android for example.

In this paper, we describe our multi-year effort to provide an in-situ real-time behavioural experimentation testbed, called *LiveLabs*, that can be used by researchers to run rich *human-centric mobile sensing & behavioural trials* in realistic settings. In particular, *LiveLabs* provides three testbeds at: our university (*SMU*), a convention centre (*Suntec*), and a resort island (*Resort*¹). These provide real-time attributes about participants at each venue, such as location and group membership, and additionally, at *SMU*, a large and diverse fully opted-in and IRB-approved participant pool that can receive, as mobile notifications, and react to real-time in-situ experimental stimulus. *LiveLabs* can also be used at all 3 venues, *SMU*, *Suntec*, *Resort*, to test novel mobile sensing applications, infrastructure, analytics, and other research ideas and prototypes.

LiveLabs has been actively developed for the last 3 years² by over 90 people, and leverages many deep technology components such as server-side location tracking [26, 60], dynamic group [50] and queue detection [42], energy efficient mobile data collection software [7], and a very usable and intuitive UI. In the rest of this paper, we briefly describe the main *LiveLabs* components and showcase its integrated use for various behavioural studies.

Building *LiveLabs* required this effort level as we had to develop, implement, *harden*, and *maintain* many different novel pieces of technologies that could work with minimal maintenance across Android, iOS, laptops, etc. We also had to secure the necessary funding, hire the right people, convince our venue partners to deploy *LiveLabs*, and most importantly, *convince participants and researchers* to join and use *LiveLabs*. This last point needs to be stressed as forming a stable test and user population was much harder than we thought. Indeed, to overcome these challenges, we had to change our lab structure – from a standard research lab into more of a startup with separate roles and personnel for research, production, maintenance, client management, administration, and participant recruitment. For example, technology developed by our researchers is never integrated into *LiveLabs* directly; instead it is handed over to the production team to re-implement correctly – i.e. hardened and made maintenance-friendly.

LiveLabs has been described previously [8, 35], however, this is the first presentation of the full end-to-end system along with

¹Venue intentionally anonymized

²Through generous support by Singapore's National Research Foundation <http://www.nrf.gov.sg/>

detailed usage results. Specifically, we focus on how *LiveLabs* allows researchers to run innovative in-situ real-time human-centric behavioural studies. We will describe the experiment types that *LiveLabs* supports and show how this improves on the state-of-the-art. We then present numerous case studies showing how *LiveLabs* has been successfully used for various experiments. The main contributions that we make in this paper are as follows:

- We present, to our best knowledge, a first-of-its-kind, available-for-use testbed specifically tailored towards in-situ, real-time mobile sensing & human-centric behavioural experiments.
- We describe how *LiveLabs* uses well-established experimentation methodologies that allow both social science and technology researchers to test new and innovative multi-disciplinary ideas in mobile sensing, real-time analytics, behavioural studies, marketing methods, and other related domains.
- We present the various *LiveLabs* building blocks, showing how deep technology components, such as location sensing, couple with a rich, yet intuitive, UI to provide a complete end-to-end experimentation platform.
- Finally, we present case studies showing how *LiveLabs* has been used to investigate various research hypotheses by many different groups of researchers. *LiveLabs* has been operational since January 2015 at *SMU* and since June 2015 at both *Suntec* and *Resort*. As of May 2016, $\approx 4,000$ undergraduates have signed up as *LiveLabs* participants at *SMU*; at *Resort*, $\approx 27,000$ members of the public have downloaded the resort’s publicly available (Android and iOS) smartphone application that incorporates our technology.

LiveLabs is available for use, for free, by any researcher³.

2. DESIGNING LIVELABS

Designing and conducting unbiased behavioural experiments is a highly complicated process that involves recruiting the right participant pool to running minimally biased experiments. For minimum bias, subjects should be placed in natural environments where nothing is artificial – i.e., they are using their own devices and interacting in normal ways with their friends and others around them. In this setup, you then want to inject a stimulus and observe how the subject pool behaves (or how some system behaves if you are testing a technology component). It is this kind of natural test environment that *LiveLabs* was built to provide. A natural environment allows for running truly innovative experiments that go far beyond the constraints of a standard user study where the experiments are usually not realistic, e.g. “shopping” simulations done inside a lab, and the subjects are biased as they are aware that they are part of an experiment, e.g., the experimenter is present.

2.1 Design Goals

The two main design goals of *LiveLabs* were:

1. **Rewarding & Safe for Participants:** *LiveLabs* requires the active participation of either students or members of the public to be successful. Thus, it is important that being a part of the testbed is seen as both *useful* and *safe* to all the participants. We describe our privacy mechanisms in Section 2.2 and our attempts to make *LiveLabs* useful in Section 6.3.
2. **Useful for Technology & Behavioural Researchers:** The second major goal of *LiveLabs* is to make it useful for multiple types of experiments. For example, *LiveLabs* should

³<http://is.gd/livelabs> to test a sandboxed version for yourself

support systems-type experiments that require installing and testing new sensors or forms of data collection, new sensing algorithms, or types of real-time analytics. In addition, *LiveLabs* should also support behavioural-type experiments where the participants are provided some kind of stimulus, via an in-app notification for example, followed by observation of their reaction to that stimulus.

To support both types of experiments, *LiveLabs* must thus be *flexible* to support multiple experiment types, *easy to modify* to add new functionality, and *easy to use for experiments* even by non computer-scientists. We describe in Section 3 the main components and implementation of *LiveLabs* that allows us to satisfy these design criteria.

2.2 Privacy Considerations

A key *LiveLabs* design goal is to achieve a useful tradeoff between maintaining user privacy while still supporting useful context-aware experiments. For example, *LiveLabs* could average the locations of all users in a large area and store just one location for all of them. However, experiments that require identifying the locations of specific people such as “Send a coupon only to people at Table 23” cannot be run if the averaging has removed the required fidelity.

Hence, we decided to anonymise all collected data without performing any kind of aggregation or reduction that preserves privacy at the expense of data fidelity. We created a unified framework (Section 3), where all data is processed by an anonymisation sub-component that 1-way hashes all personally identifiable information. The raw data is then removed and only anonymised data is retained. In addition, during participant sign up, we explicitly state how we collect and anonymise all data including demographics information and regular uploads of sensor and app usage data from their smartphones as well as location data from infrastructure sensors. The entire *LiveLabs* participant data and consent handling procedures have been approved by both the university’s *Institutional Review Board (IRB)*, and legal department who deemed our procedures to be in compliance with Singapore’s *Personal Data Protection Act*⁴ data privacy regulations.

However, even with these procedures in place, it is possible for a malicious hacker, with access to all the *LiveLabs* databases, to identify specific individuals as we use a consistent hashing scheme. We are leaving, as future work for both ourselves and for any interested systems privacy researchers, the development of better privacy schemes that can protect against more attacks, and still allow *LiveLabs* to provide the level of context-driven personalized experimentation that it currently supports.

3. IMPLEMENTING LIVELABS

To achieve the goals in Section 2, *LiveLabs* needs to overcome the following technical challenges. First, sensor data has to be collected without imposing unacceptable privacy or energy concerns for the participants. Next, accurate and useful contextual triggers have to be provided from the data collected (e.g., accurate activity detection from inertial sensing data from participant smartphones). Then, a powerful yet easy to use interface to describe experiments that *LiveLabs* can run has to be designed. This is particularly important, and hard, as a large number of experimenters are not computer scientists and have limited experience and patience with complicated IT systems. Finally, *LiveLabs* needs to provide detailed experiment results that can be used by experimenters to understand and improve their experiments. This is surprisingly non-trivial as

⁴<https://www.pdpc.gov.sg/legislation-and-guidelines/overview>

running experiments in real-world spaces introduces errors, e.g., the computed location of a participant can be wrong, that need to be accounted for in the experiment reports. We describe how we solve these challenges in the rest of this section.

3.1 Architecture Overview

The *LiveLabs* architecture is shown in Figure 1. The process flow is as follows: (i) Participants sign up for *LiveLabs* and install the *LiveLabs* Service app on their personal iOS or Android phones. (ii) The service apps running on each phone along with the environmental sensors, Wi-Fi in particular, regularly upload raw data to the *LiveLabs* data collection service. The data is anonymised and then processed to generate real-time contextual information about the participants. (iii) In parallel, experimenters provide experiments using the *LiveLabs* experiment specification user interface. (iv) For each approved experiment, the *LiveLabs* experiment engine checks when the experiment should run based on the dates and times provided by the experimenter. When the experiment needs to run, the experiment engine contacts the analytics engine to retrieve a list of participants that match the specified contextual triggers. (v) The experiment engine then sends the treatment, as a notification, SMS, or rich message to a specific *LiveLabs* app, to each matched participant. (vi) The experiment engine monitors what each participant did after a treatment was sent to them. (vii) The anonymised responses are sent to the experimenter for analysis and improvements. To achieve this entire logical flow, *LiveLabs* builds on multiple technical components, which we describe next.

Content	Android	iOS	Information Recorded
Accessibility	Yes	No	Accessibility Event, App Name, Package Name, Event Class
Battery	Yes	Yes	Battery level
Calendar	Yes	Yes	Title, Notes, Location, Dates
Call Logs	Yes	Yes	Last_Dialed_Number
Contact	Yes	Yes	First/Middle/Last Name
Location	Yes	Yes	x, y Coordinates
Program State	Yes	Yes	State
System Settings	Yes	Yes	App Version, Language, Carrier, Phone No, IMEI, Mac Address, Device Name, Signal Strength
System Log	Yes	Yes	ASLMessageID, Level, PID, Facility, Sender, Message
Wifi Trace	Yes	Yes	Action, BSSID, RSSI
Bluetooth	Yes	No	State
External Media	Yes	No	Media state
Installed Apps	Yes	No	Package Name
Network State	Yes	No	Data Source, Data Type
Profile State	Yes	No	Possible Actions
Cell Tower	Yes	No	Cell ID (CID), Location Area Identity (LAC), Primary Scrambling Code (PSC)
Sensor Data	Yes	No	Accelerometer, Gyroscope, Light, Pressure, Rotation

The collectible data changes with each OS version update, e.g. iOS 6 vs 7. This table lists the maximum data we can collect from each OS.

Table 1: Contextual Data Collected: Android vs. iOS

3.2 Collecting Data

Collecting Data From Participants: A key *LiveLabs* component is the *LiveLabs* Service app for both Android 4+ and iOS 6+. As stated earlier, we do not provide any devices to the participants – instead participants install the *LiveLabs* app on their primary smartphone. This decision was made to reduce the testbed bias as we strongly believed that you could only observe natural behaviour when participants were using their own devices and data plans.

The data collected by the *LiveLabs* Service app depends on the OS and the current data collection policy. For example, we are able

to collect more data on Android versus iOS – See Table 1 for details. However, a key lesson learned early on was that participants were extremely sensitive to any extra smartphone power drain or heat generation caused by our data collection routines and that they would quickly uninstall the *LiveLabs* app, leave the pool, and also speak negatively about *LiveLabs* to their friends.

Hence, we extensively measured the power drain of various sensors both individually and when they were used together (key results are presented in Balan et al. [7]), and created energy profiles for various sensors and sampling frequencies. We then added policy support into the *LiveLabs* service app to allow the data collection policy to be dynamically updated, e.g. which sensors to collect data from, at what sampling rates, for how long, etc. All data collected is compressed, and stored as files on the participants phone with quotas determining how much data to store before overwriting. The data is uploaded to the *LiveLabs* Analytics Engine whenever the phone is using Wi-Fi to eliminate any cellular data charges. After uploading, the data is cleared from the participants phone.

To achieve the highest participant satisfaction, the default policy is to introduce no additional power drain by collecting no data at all. However, based on experiment requirements, we can and do turn on phone sensors, e.g. inertial sensors to detect current activity, for a few hours, at most, per day.

Collecting Data From The Environment: In addition to phone data, *LiveLabs* also collects data from the environment. In particular, we collect Wi-Fi signal strengths of every connected device directly from the Wi-Fi infrastructure.

Data Anonymiser: All data collected, from either phones or the environment, is processed by our anonymisation service before it enters any *LiveLabs* data store. This service uses a consistent 1-way hashing function to hash any personally identifiable information in the data, such as MAC addresses, email ids, user ids, names and numbers. In addition, any data that was collected unintentionally, e.g. data that is not required by any existing data store, is discarded. The raw data that enters the anonymisation service is discarded and only the hashed data is stored.

3.3 LiveLabs Context Services

Another key component of *LiveLabs* is the analytics engine that processes the data collected from smartphones and environments to generate the contextual information used to trigger experiments and to understand their effectiveness. This engine uses contextual data generated by numerous pieces of prior work built by the *LiveLabs* research team over the last few years. We briefly describe the key prior work below:

Location Service: A key *LiveLabs* contextual trigger is the current location of all participants. The challenge was to obtain these locations with both high accuracy and high recall, both indoors and outdoors. To achieve both goals, we decided to collect raw signal strength data directly from the commercial Cisco or Aruba Wi-Fi controllers used at each venue. This is because collecting data from phones consumes energy about which our participants are sensitive to. Also, as many devices are either not part of *LiveLabs* or run OSs that don't allow client-side Wi-Fi sniffing (e.g., iOS), this results in data sparsity. In contrast, collecting data from the infrastructure allowed us to track every device that connects to the Wi-Fi infrastructure – even those not part of *LiveLabs*. Note: every device that connects to the Wi-Fi infrastructure at each venue has agreed to this tracking as part of the sign-on agreement. In addition, for devices that are not part of *LiveLabs*, the system tracks them as hashed entities with no additional knowledge about them.

We use fingerprint maps and a RADAR-inspired [5] solution to convert the raw data from the controllers into precise locations of




Figure 1: *LiveLabs* Architecture

every device at each venue. In the process, we discovered unique challenges of doing this type of server-side localisation and refined our system to overcome these challenges. Nairan et al. [60] describes our solutions to these challenges and provides detailed performance results for our system. Overall, our location system has been operational at *SMU* since August, 2013 and at both *Suntec* and *Resort* since June 2015. It tracks, as of May 2016, $\approx 19,000$ unique devices per day across all venues. At *SMU*, location results are updated every 1-2 minutes with a 6-8 meter accuracy.

Group Detection Service: We leveraged the fact that our location system tracks every device, whether they are *LiveLabs* participants or not, to build a dynamic group membership system called *GruMon* [50]. This system combines the location traces of every device detected in the environment with probabilistic analysis to identify devices that are *moving together with intent* – i.e., they are interacting with each other and thus in the same group. This is particularly hard in crowded places such as our university campus where tens or hundreds of people can be physically co-located in the same area, such as the campus food court, even though they are not interacting with each other. We have deployed *GruMon* at *SMU* since August 2014, and the other venues since June 2015, and provided the ability to select participants based on the size of the groups they are in.

Group membership is important as our recent results [22] showed that the behaviour of a group, in terms of how long they spend in places and where they are likely to go next, is very different when compared to the behaviour of individuals. In addition, different sized groups, e.g small 2 person groups versus large 7 person groups, behave quite differently from each other as well. Hence, we believe, with corroboration from our psychology and marketing peers, that controlling for group membership is important when trying to understand the reactions of individuals to any kind of stimulus. As far as we know, *LiveLabs* is the only testbed that allows researchers to dynamically target different sized groups in an easy and non-invasive manner.

Queue Detection Service: In crowded places, such as *SMU*, queues can form dynamically at ATM machines, food stalls etc. To detect these dynamic queues, we built *QueueVadis* [42] that uses sensor data collected from participants’ phones to detect the wait and service times of queues. We then combine the data from multiple phones to create an overall view of the current wait and

service times of all current queues across the campus. *QueueVadis* employs a two-tier classification approach for detecting individual-level queuing episodes using the locomotive signature of short bursts of shuffling forward between periods of standing. We showed, via numerous experiments in both Singapore and Japan, that it produces accurate values irrespective of queue shapes and even if participants join or leave the queues prematurely. We also showed that only a fraction of the people standing in a queue need to generate the data for it to work. Currently, we use *QueueVadis* only for special experiments as the need to actively collect data from participants’ phones prevent it from being an always-on service.

Activity Recognition Service: Finally, we have also developed a number of activity detection solutions that can detect what the participant is doing from the inertial sensor data collected from their phones and, more recently, smartwatches. For example, *A3R* [59] that detects standing, walking, sitting, and other basic activities as well as *Annapurna* [52, 51] which detects eating activities. Similar to *QueueVadis* above, we do not offer these activity detectors as a standard service, and use them only on a case-by-case basis, as they require active data collection from the participants’ phones.

3.4 LiveLabs Experiment Engine

The final component of *LiveLabs* is the experiment engine. This component receives experiments from experimenters through a GUI-driven entry process, validates, schedules, and selects the right participants for any given experiment, executes the experiment, and provides the experimenter with data that can be used to validate the efficacy of the experiment.

Experiment Specification (UI): Figure 2 shows part of the experimenter UI. This UI portion allows experimenters to select the contextual triggers, e.g., the precise location in the top left area and the group membership criteria in the top right, for their experiment. Overall, the UI was developed and refined over many months with various experimenters to be easy to use, yet powerful enough to specify all experiment details, such as the number of control versus treatment participants and the actual intervention sent when the experiment runs. The *LiveLabs* UI can be accessed at <http://is.gd/live1abs> and sample experiments can be created in this sandbox environment.

Experiment Validation: Currently, all new experiments entered through the non-sandbox UI portal must be approved by a *LiveLabs*

director, who will receive email reminders, before the experiment can be executed. This is to ensure that every experiment is non-damaging to our participants, e.g., the experiment does not spam participants with junk messages or try to steal their personal data, as a bad user experience will affect our participant retention rate.

Participant Selection: Once an experiment has been approved, it gets scheduled according to the date and time selected by the experimenter. When the scheduled date and time occur, the participant selection component will query the analytics engine to ask for a list of participants who currently match the contextual triggers specified by the experiment. The analytics engine continuously queries its up-to-date databases and returns a list of all participants that match the triggers. The selection component then partitions this list into control and treatment groups based on the experiment specifications. If the size of any group is smaller than the minimum required size, the experiment is delayed until the appropriate minimum sizes are reached. If the sizes are sufficient, the selection component sends the list of treatment participants to the notification service along with the content to send as specified by the experiment. The experiment continues until either enough participants, as specified by the maximum required size criteria, have received the treatment or the experiment time window has expired.

LiveLabs Notification Service: This component uses existing push notification services provided by Google (GCM [18]) and Apple (APNS [4]) to send the experiment content to the selected participants' phones. On the participants phone, the messages are routed either to the *LiveLabs* service app which then displays them as a notification or to another *LiveLabs* app as shown in Figure 3. The last time each *LiveLabs* app on a participants phone connected to a *LiveLabs* service is recorded in specific databases and used to check if specific participants can receive rich messages.

Experiment Logger: The experiment logger activates every time an experiment is executed. It retrieves and stores the location and context updates by every participant in that experiment, for both treatment and control groups, for a configurable period.

Collecting User Feedback: When an experiment is sent to a participant, the experiment logger could decide to turn on specific data collectors, e.g collect inertial data to generate activity information, on that participants phone. If so, an updated policy is sent to the phone. In addition, the experimenter can also specify a post-experiment survey, to collect qualitative feedback, that will be sent to each participant, after the experiment concludes, as a link in a notification message.

Context Uncertainty Handler: A hidden *LiveLabs* bias is that the trigger events are derived from noisy sensor data. For example, the location system has an average 6 to 8 meter error with all the other analytics services having their own specific errors. Thus the participants chosen by *LiveLabs* can include people who do not satisfy the experiment criteria. Quantifying this error, which can never be eliminated as every sensing system will have errors, is an active area of research. Currently, we developed models that combine the errors generated by the low level sensors into probabilities that can be used by experimenters to understand and improve the accuracy of their experiments. For example, we use the notion of overlap regions to determine the probability that a chosen participant pool was actually located where the system thought they were [37]. In addition, we use models to suggest whether the minimum participant numbers need to be increased to reduce the uncertainty caused by the underlying sensing systems [36]. For example, choosing only 2 participants will lead to a large probabilistic selection error if room-level location accuracy is required.

Report Generator: Finally, the experiment engine will generate a detailed post-experiment spreadsheet containing informa-




Figure 2: Expt. Specification UI – Context Selection




Figure 3: Treatments as Seen on a Participant's Phone

tion such as the timestamp and location where every participant received the experiment, along with the timestamp and location where they saw any notification, clicked any link, opened any *LiveLabs* app, and activated any *LiveLabs* app features. Example reports can be seen at the *LiveLabs* sandbox portal at <http://is.gd/liveLabs> under "Experiment List".

3.5 Current LiveLabs Testbeds & Status

Table 2 shows an overview of the three testbeds where *LiveLabs* is deployed. These testbeds are *SMU* – our entire university campus, *Resort* – a popular outdoor resort island in Singapore, and *Suntec* – a large and popular convention centre. At all three venues, we have deployed our infrastructure sensors, that track device movements using Wi-Fi, along with the real-time analytics solutions. At both *SMU* and *Resort*, we also engage with participants who install our mobile apps, built by *LiveLabs* for *SMU* and by enhancing the existing *resort-specific* app for *Resort*. We then provide researchers and marketing personnel with the portals and ability to run behavioural trials on these participants. Currently, *Suntec* does not have any participants; however that will change when the conference app (Section 4.1.2) is deployed for MobiSys 2016 and future conferences.

Most of the *LiveLabs* back-end systems are built using PHP with some components built using Java and JSP. PostgreSQL is used for most databases along with MongoDB to store unprocessed location data. We also built and maintain two campus-specific apps to help participant retention – an app to provide promotional content, and another to provide event information. We are currently building a third app that will be used during MobiSys 2016.

Testbed	Type	Size / meters ²	Floors	Participant No.	Collecting Data?	Real-Time Analytics?	Experiment Engine?	Operational From
SMU [†]	University Campus	70,000	30 (5 bldgs)	4,000	Infra. & Phone	Yes	Yes	Jan 2015
Resort	Resort Island	14,000	1 (Outdoor)	26,950	Infra. & Phone	Yes	Yes	Jun 2015
Suntec [‡]	Convention Centre	20,000	5 (1 bldg)	N/A [‡]	Infra. Only	Yes	No	Jun 2015

[†] <http://www.smu.edu.sg>, [‡] <http://www.suntecsingapore.com>

[‡]As of April, 2016, the deployment at Suntec is infrastructure-based only with no registered, opt-in participants.

Table 2: Summary Of Testbeds

LiveLabs is maintained by a team of full-time professional developers who ensure that all core systems and apps are always working and available. In addition, we have a separate team of outreach and administration personnel who manage, maintain, and increase the participant pool. Separately, our research staff, Ph.D. students, postdocs, and faculty, design, prototype, and test the next set of *LiveLabs* improvements such as new sensing modules and better uncertainty handling. Once these new features are stable and deemed of value to experimenters, they are handed over to the professional developers to integrate into the main system as a core feature. Overall, about 90 people, including students, faculty, developers, post-docs, interns, admin staff, have helped to build *LiveLabs*.

3.6 What Can LiveLabs Be Used For?

LiveLabs can be used to test the following: (1) *Mobile Sensing*—hardware or software sensors that can be easily installed/deployed and used to monitor some aspect of human behaviour, (2) *Mobile Analytics*—algorithms, policies, and analytics that work on human-generated location and contextual data, (3) *Mobile Applications*—any Android or iOS application that does not require root access, and finally, (4) *Behavioural Trials*—experiments that interact with humans in real environments in real-time using contextual triggers and phone-based notifications. We provide examples of the systems experiments in Section 4 and the behavioural experiments in Section 5.

3.7 Limitations of LiveLabs

LiveLabs was designed and optimised for experiments that can be triggered on a participant’s smartphone – either through an app that the participant willingly downloads or an SMS. This works well for experiments that require the participant to see a coupon or a message, run an app, or answer a survey etc.

A limitation of *LiveLabs* is that it does not, yet, integrate with social media data such as Facebook or Twitter. We are investigating ways to integrate social media feeds as the context they describe does not necessarily match the physical environment that *LiveLabs* operates in. Related to this, *LiveLabs* cannot be used to trigger experiments that require data that either *LiveLabs* does not collect (e.g., mental well-being status of a user), or cannot infer accurately (e.g., centimeter-level locations).

Another limitation is that the *LiveLabs* contextual data feeds may be limited by practical considerations such as participants uploading minimal data or by the accuracy and latency of the Wi-Fi data collected from the commercial Wi-Fi controllers. Also, experiments that require rich media, such as promotion coupons with images, can only be sent to participants who have voluntarily installed the appropriate *LiveLabs* app that can receive the rich content. By default, the *LiveLabs* service app can only receive plain content.

Finally, *LiveLabs* does not facilitate *responsive* surveying where experimenters immediately react and adapt the experiment. In addition, unlike lab settings, *LiveLabs* does not isolate participants – their response times are thus not guaranteed and may be influenced by non-experiment real-world stimulus.



Image from <http://www.suntecsingapore.com/advertise-at-suntec/the-big-picture>

Figure 4: Large Public Display at Suntec

4. RUNNING EXPERIMENTS

We now describe how *LiveLabs* has enabled research in Systems and the Social Sciences.

4.1 Using LiveLabs For Systems Research

A key use case for *LiveLabs* is to help test new technology. In fact, the context services that we described in Section 3.3 were all incubated as part of *LiveLabs*. We are actively improving *LiveLabs* with extensions to our environmental sensing by adding BLE-based fine-grained localization[46], context sensing capabilities with occupancy detection[39], emotion sensing [21], GPU-based vision sensing [20], privacy violations detection [25], improved power management for OLED displays [55, 54], support for wearable devices that can be used to detect eating [51], shopping [45] etc. Also, the ability to perform additional experiment types with support for social network-based experiments [23], trajectory-based recommendation systems [24], and audio log-based experiments. Finally, we have hosted interns from PhoneLab [38], KAIST, Wisconsin, and PEC, and have started the tech transfer process to setup a similar testbed at UMASS Amherst. We welcome and offer other researchers the chance to test their technologies in our campus. We now present two upcoming systems experiments that could only be done on a testbed like *LiveLabs*.

4.1.1 Real-Time Contextually-Aware Public Displays

One of our venues, *Suntec*, uses large public displays, as shown in Figure 4, throughout their premises. As part of a joint study with professors and a Ph.D. student from Lancaster University, we plan to investigate how to use these displays to engage more effectively with customers using the premises. One key idea is to use contextual information collected from our real-time sensors to automatically display relevant information to customers passing by the displays; for example showing the location of a meeting to a business user or providing information about shopping promotions to a customer heading towards the mall. In addition, we plan to add interactive sensors, such as the Kinect [33], to some screens to allow customers to interact with the screen in useful ways. Finally, we plan to identify techniques to partition the screen space of a really large screen, such as the one shown in Figure 4, between multiple users located in the same proximity.

4.1.2 Gamification of Conference Programmes

As part of the MobiSys 2016 conference [1], which will be held at *Suntec*, *LiveLabs*, together with researchers from Microsoft Re-




Figure 5: MobiSys 2016 Conference Application

search Redmond, are exploring the use of a mobile iOS and Android app to improve the interactive quality of the conference through gamification and other social networking features. The key features of the app include smart friend finding, using the *LiveLabs* location service, contextually-triggered games, notifications, and other experiments using a modified version of the *LiveLabs* experiment engine, continuous engagement through creative games, points, leaderboards, and badges using technology built for the *SMU* apps, and social interaction during talks and other events using a technology called Microsoft Research Embedded Social Software Development Kit Service [34] from MSR Redmond. Figure 5 shows how the current app prototype⁵ looks like; the reception from our initial testers has been very positive. We will report on the success of the app at MobiSys in a future article and we hope to use this conference app at other academic conferences, such as MOBICOM and SIGCOMM, as well as trade shows and consumer events run at *Suntec*.

4.2 In-Situ Behavioural Studies

Creating a natural experiment environment for running behavioural studies, without cutting corners or introducing additional bias, is extremely challenging. In this section, we review how conventional experiments are usually performed and then we describe how *LiveLabs* improves on various aspects of the experimentation process. We also discuss how we reduce the experimentation bias as much as possible. In Section 5, we provide case studies of experiments that we have run with colleagues from around the world cutting across various disciplines such as marketing, psychology and computer science.

4.2.1 Existing Experimentation Process

Currently, running experiments requires the following common steps. First, experimenters design the experiment. In this stage, they decide the scale of the study, the target participant demographics and recruitment locations, experiment methodology, e.g survey, focus group, shadowing etc., prepare the survey instruments and related material depending on the chosen methodology, set aside the necessary budget for incentives, prepare and clear IRB approvals, and perform any other necessary preliminary steps. Second, experimenters start recruiting participants. During this process, the experimenters usually contact every interested participant to explain the purpose and process of the experiments, and to collect any necessary demographics and personal details for controlling or analysing the study results, processing payments etc. Third, the

⁵Videos available at <http://is.gd/mobisys16app>

experiments are conducted with the twin goals of achieving reliable/meaningful responses while reducing as much bias as possible. However, achieving both goals usually requires an experienced experimenter – indeed, many studies are re-done as either valid responses were not collected or unintended biases were introduced into the study. Finally, experimenters analyse the responses and other data to draw useful conclusions. Usually, their responses will be a mix of quantitative, e.g., precise response times, and qualitative, e.g., free form questions, data.

4.2.2 How LiveLabs Improves The Process

We now describe how *LiveLabs* improves on the conventional experimentation process.

Step 1: Experiment Design. The key *LiveLabs* innovation is allowing experimenters to easily use contextual inputs as experiment triggers. For example, in conventional studies, the control and treatment groups are usually manually determined and pre-assigned by the experimenters. With *LiveLabs*, treatment groups can be dynamically assigned, at no additional cost, using various contexts.

In addition, *LiveLabs* allows experiments that are almost impossible to do, without excessive bias, in a lab setting. For example, *LiveLabs* can support experiments such as “Send a survey to the participants *only* when they are with 3 or more people”. We list the full set of *LiveLabs* experiment conditions in Section 4.3.

Based on the experimenter requirements, *LiveLabs* currently supports the following experiment designs: *Simple Control and Treatment*: a single treatment along with the size of the treatment and control groups, *Multiple Treatment*: multiple treatments that are sent concurrently to distinct participant pools with the same contextual triggers), and *Chained Conditions*: a series of treatments that are sent to the same set of selected participants in sequence. In all cases, *LiveLabs* will select the control and treatment pools using the specified contextual triggers. The experiment continues to run until the minimum pool size is met or the experiment expires.

Step 2: Participant Recruitment. *LiveLabs* greatly simplifies this process for an experimenter by providing a large, demographically diverse pool of opted-in participants belonging to multiple majors, gender, etc.. If the experiment requires data or permissions beyond what the participants have agreed to, *LiveLabs* will send a new agreement. In many cases, the participants have already provided sufficient consent as the experiments usually involve sending a notification to the phone or collecting raw sensor data.

LiveLabs uses a team of dedicated staff to actively recruit and retain participants. To sign up, participants must provide explicit consent, basic demographics information, and then install the main *LiveLabs* service app – this serves as both an app store for participants to obtain other *LiveLabs* apps as well as a conduit that allows *LiveLabs* to collect data from the participants’ smartphone and to send treatments to the participants. The participants are incentivised to sign up through bonuses, periodic promotions and, most importantly, compelling apps, e.g., a campus events app, that they could not obtain otherwise. In addition, we make it clear that their data is kept private and that this is benefiting research. We discuss the recruitment process in more detail, along with our challenges, in Section 6.3. An advantage of this centralised approach is that our large pool of participants don’t actually know *what* experiments will be sent to them or *why*. Thus, every participant’s reaction to notifications, survey requests, or other experimental content is quite natural.

Step 3: Conducting Experiments. After an experimenter submits an experiment, it is validated by senior *LiveLabs* staff. An experimenter is allowed to run experiments that send a simple notification (e.g., a link to a survey, an SMS, or a rich message like

sending a visually appealing campus store discount coupon to a *LiveLabs* promotions app) to a participant’s smartphone. Currently, we have developed rich apps that can handle promotions, events, and micro-tasks. The *LiveLabs* experiment engine (Section 3) will execute the experiment at the correct time), with a participant set that matches the experiment’s contextual triggers, and then send the experiment content to those participants.

Note: the above is the standard setup for conducting social-science type experiments where a stimulus is sent to the participant and the reactions observed. *LiveLabs* can also be used to test the efficacy of various sensing and/or other technologies. In this case, the technology will be deployed to participants, via an app, and *LiveLabs* will collect both the necessary data from the app and appropriate ground truth, using environmental sensors etc., to allow the technology to be evaluated.

Step 4: Results Analysis. A key benefit of *LiveLabs* is that it is able to collect rigorous post-intervention data through data collected from the participants’ phones and environmental sensing. As such, we can provide experimenters with detailed reports on the efficacy of their experiments. For example, we can tell them when and where a particular promotion was received by a participant, where the participant actually viewed the promotion, and where they actually clicked the redeem button, along with the time taken to transition between each phase. This type of precise data is very hard to obtain, without bias, in a lab setting, and almost impossible in a real-world environment.

Note: we never reveal personally identifiable information to any experimenter or allow them to interact with participants directly. For example, experimenters only receive details such as “Participant 1110010 (Gender: Male) from Economics Year 3 saw the promotion at 11.33 a.m. at Level 3, Building A”. This level of detail, after discussions with various experimenters, was deemed suitable as it provides sufficient details while hiding the identities of participants from non-malicious experimenters – we use strict admission control to detect and remove malicious experimenters. If an experimenter requires personally identifiable information, additional consent from each participant will be required.

Context Triggers	Replicate	Extend	Innovate
Static Contexts			
Demographics	No	Yes	Yes
Participant Pool	No	Yes	Yes
Dynamic Contexts			
Location			
Building-level	Yes	Yes	Yes
Floor-level	No	Yes	Yes
Room-level	No	No	Yes
Location Transitions	No	Yes	Yes
Time	Yes	Yes	Yes
Group Status	No	No	Yes
Queue Status	No	No	Yes
Activities (e.g., walking)	No	No	Yes
Interests (e.g., web history)	No	No	Yes

The replicate entries were derived from actual prior work [14, 16]. Extend and Innovate were influenced / designed by our social science colleagues – based on the state of research in their respective fields.

Table 3: Experiment Use Cases and Context Triggers

4.3 LiveLabs Experiment Use Cases

We designed *LiveLabs* for three experiment use cases: (1) *Replicate*: where an experimenter re-runs an existing experiment on *LiveLabs* to benefit from the lower setup cost and high fidelity *LiveLabs* test environment. (2) *Extend*: where an experimenter runs standard experiments but at higher fidelity because of the unique capabilities of *LiveLabs*. For example, instead of sending a standard marketing message to the entire subject pool, use *LiveLabs* to

target students at specific locations on campus. Finally, (3) *Innovate*: where an experimenter uses *LiveLabs* to create new and innovative experiments that push the research boundary. For example, a psychologist is generating new insights into mental well-being by using *LiveLabs* to send targeted surveys to participants based on their interactions with people around them. The key *LiveLabs* features that allow this are the dynamic tracking of a person’s interactions with other people using the *GruMon* group detection system [50] and the ability to intervene exactly when certain triggers occur in the natural world without the participant being interrupted by the research team – previously the survey would have been administered to the participants by a research assistant.

Table 3 shows the context triggers that *LiveLabs* can support for the three experiment cases. Note: *LiveLabs* is constantly adding new features, sensing modalities, and contextual triggers, both developed in-house and from other research groups worldwide, that allow us to expand the range of experiments – especially the *Innovate* kind.

5. BEHAVIOURAL EXP. CASE STUDIES

In this section, we show how *LiveLabs* allows experimenters to **replicate** traditional experiments faster and with less effort, **extend** existing experiments in interesting ways, and finally, and most importantly, to **innovate** and create completely new and previously impossible-to-do high research-value experiments.

5.1 Replicating Existing Experiments

We replicated two classic psychology experiments with the help of a SMU psychology faculty and a Temple university marketing faculty. As stated in Table 3, *Replicate* type experiments do not depend on real-time context triggers, but they help establish the *representativeness* and *sufficiency* of the size of our participant pool.

Bystander Apathy [29]: We replicated a classic phenomena, where the presence of others inhibits helping behaviour, described in Garcia et al. [16]. Our results are completely consistent with both the original work as well as a follow up study [15] that showed that bystanders could either increase or decrease the helping behaviour depending on where the bystander’s attention was focused. To replicate this study, we sent a survey, similar to the original study [16], that asked participants what percentage of their annual earnings, after graduation, would they be willing to donate to charity along with questions regarding their group context. The survey questions and responses are available at <http://tinyurl.com/bystandersurvey>.

Foot-in-the-Door Technique [14]: We demonstrate through *LiveLabs*, that it is possible to replicate this type of classical study [14] which examines a highly influential, compliance technique where an individual agrees to a large request only because they were first asked and agreed to a modest request. To do this, we created a control group which was asked for a large favor, a donation amount to create literacy programs for blue collar workers in Singapore, and a treatment group that was asked of a moderate favor, to sign a petition asking for more literacy programs for workers in Singapore, followed by the same large favor. The survey questions and responses are available at <http://tinyurl.com/fitdsurvey>.

5.2 Extending Experiments In New Ways

Many social science experiments involve *priming* and administering surveys to score participants along some behavioural or attitudinal trait such as psychometric scales etc. We show how *LiveLabs* has *extended* such techniques in new ways.

Priming Effects: This study, being run by an ESSEC business school marketing faculty, tries to understand how different types

of text, either deliberative or implemental [17], would subliminally affect where a participant would go next. We do this by sending a specific passage, written in either deliberative or implemental tone, to participants at specific locations on campus and then observing where they stayed after being subjected to the treatment. *LiveLabs* extends this experiment by allowing precise location triggers, e.g. “send only when they enter the library”, with non-invasive and accurate server-side monitoring of where the participants went to, e.g., did they pick a central or peripheral location in the library, after receiving and interacting with the text passage.

Promotion Framing: Another study run by the ESSEC faculty investigates how the framing of a promotion, e.g. offering an instant promotion versus one that is available after a delay, and the group context of a person impacts the redemption rate. Specifically, they hypothesize that the people who are alone are more likely to redeem the delayed promotion due to the effect of cognitive fluency. Further, the study also investigates whether the presence of strong or weak group ties when the participant receives the promotion is also a moderating factor in redeeming the offer. *LiveLabs*’s Group Detection Service enables this experiment by providing continuous monitoring of the participants’ group context, as well as quantified measures of tie strength through historical analysis of the participants’ co-location with others [23].

Opinion Leadership Study: A research team from Carnegie Mellon, Temple, and Emory universities is using *LiveLabs* to understand the role of leaders in groups – with the hypothesis that sending promotional content to the group leader, compared to other group members, will lead to better redemption rates. *LiveLabs* extended this study in the following ways: (1) the location traces collected by *LiveLabs* Location Service were used to generate models of who the leaders or followers for any group might be – validated by an opinion leadership scale survey, and (2) *LiveLabs*’s Group Detection Service allows those pre-identified leaders to be interacted with only when they are in groups. In particular, first part could have been done previously, but the second part is a new capability. Previously, they would have relied on self-reports of the identified group leaders to discover what they might have done or deployed shadowers to follow the leaders. These are now unnecessary as *LiveLabs* enables scalable, unobtrusive, and real time observations – allowing experimenters to use, with minimal effort, specific triggering conditions and to obtain accurate and non-invasive feedback on where and what the participants did.

Group-Aware Marketing: *LiveLabs* is being used by marketing faculty from Arizona State University to test group-aware marketing strategies where participants would receive *group-aware*, or *generic* promotional content depending on whether they were in a group or alone. Their hypothesis is that sending group-aware promotions to people in a group results in higher redemption rates compared to generic promotions. This type of experiment is only possible, with minimal bias, using *LiveLabs* due to its dynamic location and group detection capabilities.

5.3 Innovating Experiment Designs

We now describe high-value experiments that could *only* be executed on *LiveLabs*.

Tracking The Spread Of Malware: One of our SMU computer science colleagues is using *LiveLabs* to track the spread of malware. In the first phase, they used *LiveLabs* to recruit participants for the study, via a survey. In the second phase, they plan to use *LiveLabs* Location and Group Detection Services to understand the physical context of participants at the time they receive “deceptive” messages that ask them to click on unknown web URLs – clicking on these URLs will trigger a malware that sends messages

Survey Mode	Response Rate
Paper-based	22% [49]
Web	17 - 20 % [49], 18% [27]
Mail	24.2% [27]
SMS	22.5% [6]
<i>LiveLabs</i>	21.85 - 34.27% (non-exam periods), 12.07 - 17.62 % (exam periods)

Table 4: Comparison Of Response Rates

Experiment	Subjects	Viewed Exp.	Did Exp.
Bystander Apathy	454	100 (22.0%)	80 (80%)
Foot-in-the-Door	561	88 (15.7%)	69 (78.41%)
Priming Effects	303	76 (25.08%)	70 (92.10%)
Promotion Framing	426	160 (37.55%)	146 (91.25%)
Opinion Leadership	778	171 (21.97%)	170 (99.41%)
Group-Aware Marketing	58	13 (22.4%)	7 (53.8%)
Malware Spread	286	46 (16.08%)	43 (93.48%)
Personality Traits [†]	302	100%	100%

[†] This study used a separately recruited participant pool

Table 5: Summary Of Experiments

to friends in their phone contact lists. The new insights that *LiveLabs* provides is a deep understanding of the physical context of the participants at the time when they receive the malware message, clicked on or discarded the message, and their reaction when they learned that they had been deceived. Note: the experimenters will clearly explain to every participant about the deception and what they should have done as part of the debriefing process. The study was approved by the full IRB board. In addition, the experimenters had to convince the *LiveLabs* directors that the study was not going to harm the participants.

Personality Traits Study: Most personality studies in Psychology rely on self-reported data. However, self-reported data confounds *situation selection* with *situation perception*. Situation selection refers to the association between personality traits and objective situational attributes such as the number of people you are interacting with etc. Situation perception refers to the association between personality traits with subjective situational features such as their reaction to a red banner etc. Both variables are needed to understand how people experience a situation. However, self-reports make it impossible to distinguish selection from perception.

A SMU social psychology faculty is using *LiveLabs* to send surveys (\approx 400 surveys have been sent as of publication time) to known introverts and extroverts, identified a-prior through in-lab interviews, at various times and locations. The survey data, which provides the situation perception, is then combined with the *LiveLabs* Group Detection Service to accurately identify the situation selection, e.g. who is around them and who they interacted with, when they answered the survey. Thus *LiveLabs* provides a previously unrealisable ability to capture both the situation selection and perception simultaneously in a real world setting.

5.4 Success Metrics

In this section, we evaluate *LiveLabs* in terms of how it compares with traditional methods such as pencil-and-paper, web (e.g via Mechanical Turk), mail, and SMS surveys. We focus on two key survey success metrics – response rates and non-response bias [49]. In addition, we investigate the ability of *LiveLabs* to replicate results from conventional modes of experimentation.

Response Rate: In Table 4, we compare response rates previously reported for other modes of delivery against *LiveLabs*. We note that *LiveLabs* achieves comparable response rates, in addition to offering benefits such as real-time context-awareness. Further, we also note that the response rate is sensitive to the time period that




Figure 6: Notification Response Rate (118 Android Users)

the surveys/promotions were sent out; we observe that the overall response rate was consistent at around 20-30% prior to the exam week, and dropped to 12-17% during the exam week.

Table 5 shows the response rate for each of the case study experiments – all the rates are comparable or higher than other approaches. In addition, participants respond to *LiveLabs* with more frequency than other phone notifications. To determine this, we analysed the phone data collected from 118 *LiveLabs* Android users, between Aug 2014 and Jan 2015, and determined that those users clicked on only 14.29% on average ($sd = 17.77\%$) of the notifications they received whereas the average view rate observed with *LiveLabs* was much higher at 24.38%. Figure 6 plots the CDF of the response rates for all those users. It shows that over 87% of the users responded to less than 24.38% of their notifications.

In Table 6, we summarize the response rates of experiments/trials run as part of the *LiveLabs* deployment at *Resort*. The testbed has been used to run many promotional campaigns, 5 so far, across a wide demography comprising of all island visitors with the *Resort-specific* app installed. Interestingly, compared to SMU, the viewing rate is much higher at a lower redemption rate. Overall, *LiveLabs* achieves a better redemption rate ($\approx 4.3\%$) compared to the SMS-based mobile coupon redemption study (3.2%) reported in Andrews et al. [3], for an Asian population similar to ours.

Campaign	Subjects	Viewed Promo.	Redeemed Promo.
Early Bird Campaigns	3534	2457 (69.5%)	151 (6.15%)
Normal Campaigns	1265	863 (68.2%)	58 (6.72%)

Table 6: Summary Of Campaigns at *Resort*

Non-Response Bias: This is a critical survey flaw [49] where survey respondents are statistically different from the non-respondents in terms of demographics or attitudinal variables. To detect this bias, we separated the response and non-response rates by gender and school. We observed, similar to prior studies [49], that the women response rates were higher than men. However, and more importantly, we did not observe any significant difference in the demographics of respondents and non-respondents in terms of their school or year of study. Table 7 shows the response rate for all our studies broken down by our six schools. The percentages were not statistically different (using the Kolmogorov-Smirnov test), with $D = 0.33$ in all cases with p -values between 0.893 and 0.931.

Efficacy of Replicating Results: For the Bystander Apathy Study, our results, shown in Table 8, reinforce the original [29] and follow-up studies [15] in that individuals were less likely to help, donate in this case, when surrounded by people. However, if those people were not strangers, i.e., they were part of the same group, they were more likely to help.

Likewise, for the Foot-in-the-Door Study, similar to the original study [14], we observed a statistically significant increase in will-

ingness to donate in treatment group individuals who agreed to the moderate favor, compared to those that did not. Table 9 presents these results with t -statistic=2.8945, and p -value=0.0111 for the difference in means test.

We do not provide results for the *Extend* or *Innovate* experiments as they are still ongoing and yet to be published. In addition, no baselines for comparison exist due to their originality.

6. KEY LESSONS LEARNED

We summarize here some of our main lessons learned as part of building and maintaining *LiveLabs*.

6.1 Deploying a Testbed Is Hard!

We initially envisioned [8, 35], deploying four separate testbeds, at SMU, *Resort*, an Airport, and a Mall, by the first half of 2015. However, as of May 2016, *LiveLabs* has only been deployed at *SMU*, *Resort*, and partially at a replacement venue *Suntec*. A key reason was our gross underestimation of the effort, especially to agree on legal terms and generate convincing use cases, to deploy at commercial venues. Even at SMU, we learned that deploying at such unprecedented scales, e.g., a user pool in the thousands, is hard as supporting this large pool also meant supporting any software releases for month across heterogeneous devices and OSs. To address these challenges, we transformed from a standard research lab to a multi-faceted startup-like environment with dedicated staff and students handling research, software engineering, business development, participant recruitment, and administration separately.

6.2 Should Academics Be Doing This?

LiveLabs is supported by a large government research grant that allows us to hire the large full-time staff needed to build and support *LiveLabs*, and to offer it for free to other researchers. However, is this model sustainable, replicable elsewhere, and something academics should even try to do? Regarding sustainability, even though *LiveLabs* is currently fully funded, moving forward, we plan to offer membership tiers for organisations that run multiple experiments as well as charge a nominal per-experiment fee. These revenue streams will help pay for the full-time staff and any incentives needed to recruit participants.

The question of replicability and academic interest are inter-related as the interest drives the replication and vice versa to some extent. Over the last few years, numerous large multi-site testbeds such as PlanetLab [12], EmuLab [13] and GENI [10] have been proposed and successfully built. All of these testbeds were for core networking research use as that was of high interest to the research community. In all these cases, the testbeds were supported by both government grants, through the United States National Science Foundation (NSF), and by companies such as Intel for PlanetLab, Cisco for EmuLab etc. Hence, there are numerous examples of initiatives obtaining the resources needed to scale smaller testbeds into larger multi-site multi-country initiatives.

Our view is that academics should definitely strive to build compelling testbeds for various domains, such as mobile sensing, human interaction, energy solutions etc., as they will have a very large positive impact on the greater research community. However, creating testbeds is only partially about creating new technology solutions. Most of the time will be spent elsewhere – obtaining funding, hiring the right people, managing administrative requirements, recruiting, and retaining clients, experimenters, and participants, and building hardened solutions or prototypes for clients, participants etc. All of these additional tasks make building the testbed similar to running a startup – indeed we learned that we needed to convert our research lab effectively into a startup. Hence, building a testbed

	% of Respondents From That School						% of Non-Respondents From That School					
	Acc.	Bus.	Econ	IS	Law	So.Sc.	Acc.	Bus.	Econ.	IS	Law	So.Sc.
Promotion Framing	15.0	32.8	10.0	26.4	4.2	11.4	14.4	40.8	12.4	19.5	5.2	7.7
Opinion Leadership	15.7	31.4	11.4	27.7	3.7	10.1	16.8	36.4	9.2	23.7	6.1	7.8
Bystander Apathy	15.0	30.0	13.7	32.5	1.3	7.5	13.9	34.5	8.4	27.3	7.6	8.3
Foot-in-the-door	11.6	31.8	13.0	28.9	1.5	13.2	15.6	38.3	9.5	23.2	6.5	6.9
Group-Aware Marketing	0	40.0	20.0	20.0	20.0	0	18.5	35.2	11.1	22.3	7.4	5.5
Priming Effects	15.7	31.6	10.5	28.7	3.5	10.0	16.3	41.0	11.3	20.1	5.4	5.9

Table 7: School-wise % of Respondents vs Non-respondents (Acc = Accountancy, Bus = Business, So.Sc = Social Sciences)

Condition	Garcia et al. [16]	People around in past 1 hr	With friends in past 1 hr	With friends currently
1 person, neutral controls	4.2 (1.6)	2.67 (1.03)	2 (0.63)	2.28 (1.01)
Group of 10	3.9 (1.5)	2.43 (1.01)	2.42 (1.00)	2.43 (1.03)
Group of 30	3.6 (1.3)	2.36 (1.08)	3.25 (1.71)	2.55 (1.21)
Trend	<i>Inhibiting</i>	<i>Inhibiting</i>	<i>Increasing</i>	<i>Increasing</i>

Table 8: Comparison of Mean Charity Contributions of Garcia et al. [16] against *LiveLabs* Results

requires faculty who want to have a large impact on how research is evaluated in their fields, and are willing to effectively run a startup.

Group	Amount Willing to Donate, mean (std.dev)
Control	3.655 (3.265)
Treatment (Yes to modest request)	4.276 (3.011)
Treatment (No to modest request)	1.5 (2.204)

Table 9: Foot-in-the-Door Replication Experiment

6.3 The Challenge of Participant Retention

Maintaining a stable participant pool is our biggest challenge as using the standard approach of regular monetary incentives fails when the absolute dollar amount to keep incentivising 4,000+ participants is very large, and participants start dropping out rapidly when the incentives stop. We thus started providing unique functionality that *only LiveLabs* participants could enjoy – in this case, two campus-specific apps that we build and maintain for campus promotions and events tracking respectively. These apps have little research value but are key *LiveLabs* components that require a dedicated development team to provide support and regular new features to keep participant interest high.

We managed to build a reasonably large & stable participant pool, e.g. > 4,000 sign ups with ≈ 700 users actively using *LiveLabs* and running experiments, using these strategies; (1) provide a small monetary incentive (\$10) to new participants, (2) run regular contests (e.g., lucky draws), during lull periods, to keep interest levels up, (3) refine and promote our exclusive applications that solve specific and compelling student needs, and (4) run experiments that offer interesting promotions/incentives to participants.

6.4 What Did We Do Wrong?

In this paper, we present, mostly, what we did right based on the final design. However, there were quite a few things that we did wrong – some quite obvious in hindsight. These include:

Believing that Phone Data Is Key: We initially assumed that most of our data would come from participants’ phones. However, we quickly learned that energy consumption was *the* dominant factor for participants staying in *LiveLabs*. In addition, the large variety of phones such as iOS, multiple versions of Android, meant that our data collection was not consistent even among our participant pool. Eventually, we re-focused on collecting most of our data from infrastructure sensors instead, e.g., Wi-Fi, BLE, interaction points such as displays. Indeed, all the behavioural experiments described in Section 5 use only data collected from environmental sensors as that was the only data sensor that was common across all partici-

pants. Currently, due to energy concerns, our current default setup is to turn off all data collection from phones unless needed – very different from how we initially envisioned *LiveLabs* operating.

Assuming that Others Would Use Our Cool Mobile Sensing Solutions: We also believed our colleagues would use our novel mobile sensing solutions, such as group and activity detection as experiment triggers. However, our non computer-science colleagues did not know how to include these dynamic triggers into their current experiment methodologies. As such neither queuing nor activity detection was used by any of our case studies.

Our current approach is to provide familiar contextual triggers, such as location, time, demographics, interests etc., and slowly introduce new concepts, such as groups, queuing status, current activity etc., to them. We believe that our colleagues, with more *LiveLabs* experience, will integrate our novel new inputs to create new and innovative experiment designs. In addition, they will also tell us what new inputs they need to drive their research forward. This is already bearing fruits as one group of social researchers from Emory, Temple, and CMU, is already using our group detector, and suggesting improvements to it, to perform novel leader-follower type experiments (Section 5).

Hiring the Right Person is Crucial!: Finally, building a testbed is like running a startup where you need to hire talented people who are also *innovative*, *adaptable*, and *flexible* as their job scope / tasks can and will change often – sometimes daily. For example, our engineering staff frequently help out as advocates at participant recruitment fairs, and our admin staff also help to test engineering products. We learned to avoid hiring solely to fill specific work requirements as those requirements can and do change rapidly.

6.5 Future Work

In this section, we present our future work plan to address concerns raised by experimenters and to improve the overall testbed.

6.5.1 Experiment Scheduling & Fairness

Running concurrent experiments on *LiveLabs* raises an interesting scheduling problem as it may induce *participant fatigue* caused by receiving multiple treatments within a short period and this could deteriorate the quality of responses. While running three concurrent experiments, we observed that the participants chosen for the experiments had a 78% overlap and amongst those who responded there was a 58% overlap. In addition, we learnt that we also needed to maintain *fairness* – i.e. experiments with contradictory outcomes should not be run with overlapping participants within a short time period of each other. For example, scheduling an experiment which promoted soft drinks after one that promoted healthy

living, with some overlapped participants. Currently, we interview all researchers to identify what they are testing for and what conditions would create bias. We then manually add the required exclusions to *LiveLabs* to maintain fairness.

To reduce the effect of fatigue and bias, we plan to integrate recent techniques [43, 31, 32] that predict the best times to interrupt participants as well as build mechanisms to allow experimenters to specify the amount of experiment overlap, if any, they can accept.

6.5.2 Uncertainty Handling

One of the questions we received from some of our colleagues was “What is the error in the results?”. As discussed in Section 3.4, this is an active area of research. In particular, we are working with our colleagues, with machine learning and statistics expertise, to develop models to propagate the errors at every level of the system, in the form of error distributions, upwards where it is finally combined, using weighted distribution merging techniques, to create a final error distribution for the overall experiment. However, this is preliminary work that is promising but not usable yet.

7. RELATED WORK

Behavioural Experimentation: EmotionSense [44] used a rule-based logic inference engine which allowed social scientists to declare contexts, e.g., emotions, location and activity, relevant to their experiments. Social fMRI [2] combined rich smartphone data collection with intervention capabilities for a small family setting. More recently, Vivo [19] proposed to integrate smartphone-based crowdsensing with IoT to improve context analytics. *LiveLabs* is similar in vision but much larger in scale – in terms of venue provided, experiment types, and participant pool.

Mobile and Wireless Testbeds: PhoneLab [38] is the most similar to *LiveLabs* and provides custom Android smartphones to hundreds of university students to study and experiment with various smartphone technologies. SmartLab [28] built an open cloud of smartphones to conduct various mobile systems research. Wireless testbeds such as ORBIT [47] and WISEBED [11] allow testing of network protocols and technologies in laboratory settings, as opposed to simulations, whereas TFA [9] provided a city-scale mesh-networking testbed. The Santander testbed [48], is a large-scale IoT testbed geared towards smart city-type applications such as transport tracking and waste management. Mobilyzer [40] is a library for network measurements that can be seamlessly integrated with any app. *LiveLabs* differs from these testbeds by providing the opportunity to study completely natural human behaviour – i.e., the participants are using their own devices and are interacted with discretely – i.e. they don’t know why they received any particular notification. In addition, *LiveLabs* provides a platform that allow numerous research disciplines to innovate within their research areas. The panOULU WLAN testbed [41] is a city-scale, municipal wireless network, started with the goal of providing open and free internet to all. Although technically different to *LiveLabs*, it uses an academia-industry-government relationship model that is economically viable and plausible for testbeds such as *LiveLabs*.

Smartphone Sensing-based Studies: In Wang et al. [57, 58], the authors use smartphone-based sensing to derive mental well-being and other behavioural insights. NetSense [53] distributed instrumented smartphones to several hundred incoming freshman undergraduate students. Device Analyzer [56] is an Android App that collects a broad range of smartphone usage statistics, primarily as a means for personal analytics. This is one of the largest such deployments with over 33,000 contributors spread across the world. Smartphone-based *Experience Sampling Methods* [30] is also a popular method to query participants, in real-time, based on

contextual triggers. *LiveLabs* differs in that it is a complete testbed that focuses on a broad range of experiments from a diverse set of experimenters. In particular, many of these previous works could be re-run on *LiveLabs*.

8. ACKNOWLEDGEMENTS

We sincerely thank our shepherd Geoffrey Challen for providing excellent iterative feedback that greatly improved our paper. We also thank the anonymous reviewers for their valuable feedback. This research is supported by the National Research Foundation, Prime Minister’s Office, Singapore under its IDM Futures Funding Initiative and partially by the Singapore Ministry of Education’s Academic Research Fund Tier 2 under research grant MOE2011-T2-1001. Kasthuri Jayarajah is supported by an A*STAR Graduate Scholarship. Any opinions, findings, conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the granting agencies or Singapore Management University.

LiveLabs has been built by the efforts of multiple people over the years. The authors would like to humbly thank all current staff and students (as of May 1st 2016), namely Jonathan Wang, Sipei Huang, Kazae Quek, Luar Shu Hui (Admin), Francis Lim, Thannermalai Lakshmanan (Outreach), Ignatius Tan (PM), Tan Kiat Wee, Jeena Sebastian, Ritesh Kumar, Swetha Gottipati, John Lee, Tran Anh Quan, Le Hai Son, Aniket Pujara, Tieu Thi Thanh Chau, Prakhar Vishnoi, Huynh Quang Trunh, Arpita Chopra (Engineering), and Sougata Sen, Joseph Chan, Amit Sharma, Huynh Nguyen Loc, Huynh Nguyen Phan Sinh, Nguyen Huy Hoang Huy, Tran Huy Vu (Ph.D. Students), Vigneshwaran Subbaraju, Thivya Kandappu, Nikita Jaiman, Randy Daratan, Bharat Dwivedi, Desmond Koh (LiveLabs associates), Jiang Lingxiao, Jie Xiong (Faculty). In addition, we also humbly thank our former colleagues who helped build up *LiveLabs*. These include Narayan Ramasubbu (Faculty), Azeem Khan, Trun Tuan Luong, Lu Yu, Rijurekha Sen, Rajya Lakshmi Lella, Xiaonan Guo (Postdocs), Yvonne Mok, Daphanie Tay, Foo Zhi Yu (Admin), Walter Dumo, Kenneth Fu (Outreach), Vivienne Tan (PM), Le Gia Hai, Nguyen Vu Nhat Minh, Harisankar Krishnaswamy, Vikash Ranjan, Koh Quee Boon, Tadashi Okoshi, Sharib Anis, Nikunj Handa (Engineering), Kartik Muralidharan, Nguyen Huynh (Ph.D. Students), Shriguru Nayak, Kuldeep Kulkshreshtha, (LiveLabs Associates), Chetna Vig, Joshua Tan, Kok Kiat Han, Nishant Saini, Rahul Majethia, Saharsh Tibrewal, Deepankar Tyagi, Abhinav Kumar, Varun Gandhi, Satayadip Chakraborti, Gomatam Prasanth, Ananda Krishna, Aryan, Praveen Kumar, Nakul Gulati, Changhun Lee, Yeo Guo Kuan, Clarence Koh, Zaman Lantra, Gihan Hettiarachchi, Amila Jayawickrama (Undergraduate Interns), and Anudipa Maiti, Nairan Zhang, Savina Singla (Ph.D. Interns).

9. CONCLUSION

We presented *LiveLabs*, a large testbed for conducting in-situ real-time mobile behavioural experiments. *LiveLabs* uses many deep technology components to create an environment where innovative and important insights into human behaviour can be deeply understood. We showed how researchers, from many different disciplines around the world are already using *LiveLabs* to generate those new insights. In addition, *LiveLabs* can also be used to test many different technology components – especially those in the mobile sensing, analytics, privacy, and applications domains. Finally, *LiveLabs* is free to use and open to any researcher – visit <http://is.gd/livelabs> for details.

10. REFERENCES

- [1] MobiSys 2016, The 14th International Conference on Mobile Systems, Applications and Services. <http://www.sigmobile.org/mobisys/2016>. Accessed on 30th April 2016.
- [2] Nadav Aharony, Wei Pan, Cory Ip, Inas Khayal, and Alex Pentland. Social fMRI: Investigating and Shaping Social Mechanisms in the Real World. *Pervasive and Mobile Computing*, 7(6):643–659, Dec. 2011.
- [3] Michelle Andrews, Xueming Luo, Zheng Fang, and Anindya Ghose. Mobile Ad Effectiveness: Hyper-Contextual Targeting with Crowdedness. *Marketing Science*, 35(2):218–233, 2016.
- [4] Apple Developers. Apple Push Notification Service. <https://developer.apple.com/library/ios/documentation/NetworkingInternet/Conceptual/RemoteNotificationsPG/Chapters/ApplePushService.html>. Accessed on 24th April 2016.
- [5] Paramvir Bahl and Venkata N. Padmanabhan. RADAR: An In-building RF-based User Location and Tracking System. *Proceedings of the 19th Annual Joint Conference of the IEEE Computer and Communications Societies (INFOCOM 2000)*, 2000.
- [6] George Balabanis, Vincent-Wayne Mitchell, and Sarah Heinonen-Mavrouniotis. SMS-based surveys: strategies to improve participation. *International Journal of Advertising*, 26(3):369–385, 2007.
- [7] Rajesh Krishna Balan, Youngki Lee, Tan Kiat Wee, and Archan Misra. The challenge of continuous mobile context sensing. *Proceedings of the Sixth International Conference on Communication Systems and Networks (COMSNETS'14)*, 2014.
- [8] Rajesh Krishna Balan, Archan Misra, and Youngki Lee. LiveLabs: Building an In-situ Real-time Mobile Experimentation Testbed. *Proceedings of the 15th Workshop on Mobile Computing Systems and Applications (HotMobile '14)*, 2014.
- [9] Oscar Bejarano, Stanislav Miskovic, Ehsan Aryafar, and Edward W. Knightly. TFA: A Large Scale Urban Mesh Network for Social and Network Research. *Proceedings of the 2010 ACM workshop on Wireless of the students, by the students, for the students (ACM S3'10)*, 2010.
- [10] Mark Berman, Jeffrey S Chase, Lawrence Landweber, Akihiro Nakao, Max Ott, Dipankar Raychaudhuri, Robert Ricci, and Ivan Seskar. GENI: A federated testbed for innovative network experiments. *Computer Networks*, 61:5–23, 2014.
- [11] Ioannis Chatzigiannakis, Stefan Fischer, Christos Koninis, Georgios Mylonas, and Dennis Pfisterer. WISEBED: An Open Large-Scale Wireless Sensor Network Testbed. *Sensor Applications, Experimentation, and Logistics*, volume 29 of *Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering*, pages 68–87. 2010.
- [12] Brent Chun, David Culler, Timothy Roscoe, Andy Bavier, Larry Peterson, Mike Wawrzoniak, and Mic Bowman. Planetlab: an overlay testbed for broad-coverage services. *ACM SIGCOMM Computer Communication Review*, 33(3):3–12, 2003.
- [13] R Fish, M Flickinger, and J Lepreau. Mobile emulab: A robotic wireless and sensor network testbed. *Proceedings of the 25th IEEE International Conference on Computer and Communications (INFOCOM 2006)*, 2006.
- [14] Jonathan L Freedman and Scott C Fraser. Compliance without pressure: the foot-in-the-door technique. *Journal of personality and social psychology*, 4(2):195, 1966.
- [15] Stephen M Garcia, Kimberlee Weaver, John M Darley, and Bryan T Spence. Dual effects of implicit bystanders: Inhibiting vs. facilitating helping behavior. *Journal of Consumer Psychology*, 19(2):215–224, 2009.
- [16] Stephen M Garcia, Kim Weaver, Gordon B Moskowitz, and John M Darley. Crowded minds: the implicit bystander effect. *Journal of personality and social psychology*, 83(4):843, 2002.
- [17] Peter M Gollwitzer, Heinz Heckhausen, and Birgit Steller. Deliberative and implemental mind-sets: Cognitive tuning toward congruous thoughts and information. *Journal of Personality and Social Psychology*, 59(6):1119, 1990.
- [18] Google Developers. Google Cloud Messaging. <https://developers.google.com/cloud-messaging>. Accessed on 24th April 2016.
- [19] Andreea Hossmann-Picu, Zan Li, Zhongliang Zhao, Torsten Braun, Constantinos Marios Angelopoulos, Orestis Evangelatos, José Rolim, Michela Papandrea, Kamini Garg, Silvia Giordano, Aristide C.Y. Tossou, Christos Dimitrakakis, and Aikaterini Mitrokotsa. Synergistic User → Context Analytics. *ICT Innovations 2015*, volume 399 of *Advances in Intelligent Systems and Computing*, pages 163–172, 2016.
- [20] Loc N. Huynh, Rajesh Krishna Balan, and Youngki Lee. DeepSense : A GPU-based Deep Convolutional Neural Network Framework on Commodity Mobile Devices. *Proceedings of the 2nd Workshop on Wearable Systems and Applications (WearSys'16) collocated with MobiSys'16*, 2016.
- [21] Sinh Huynh, Youngki Lee, Taiwoo Park, and Rajesh Krishna Balan. Jasper: Sensing Gamers' Emotions Using Physiological Sensors. *Proceedings of the 3rd Workshop on Mobile Gaming (MobiGames'16) collocated with MobiSys'16*, 2016.
- [22] Kasthuri Jayarajah, Youngki Lee, Archan Misra, and Rajesh Krishna Balan. Need Accurate User Behaviour?: Pay Attention to Groups! *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*, 2015.
- [23] Kasthuri Jayarajah, Archan Misra, Xiao-Wen Ruan, and Ee-Peng Lim. Event Detection: Exploiting Socio-Physical Interactions in Physical Spaces. *Proceedings of the 2015 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM'15)*, 2015.
- [24] Thivya Kandappu, Archan Misra, Nikita Jaiman, Randy Tandriansyah, Shih-Fen Cheng, Cen Chen, Hoong Chuin Lau, Deepthi Chander, and Koustuv Dasgupta. Ta\$ker v3: Deployment of, and Insights from, Campus-based Mobile Crowdsourcing. *Under review for the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp'16)*, 2016.
- [25] Joseph Chan Joo Keng, Tan Kiat Wee, Lingxiao Jiang, and Rajesh Krishna Balan. The Case for Mobile Forensics of Private Data Leaks: Towards Large-scale User-oriented Privacy Protection. *Proceedings of the 4th Asia-Pacific Workshop on Systems (APSys '13)*, 2013.
- [26] Azeem Javed Khan, Vikash Ranjan, Trung-Tuan Luong,

- Rajesh Krishnan Balan, and Archan Misra. Experiences with performance tradeoffs in practical, continuous indoor localization. *Proceedings of the 14th IEEE International Symposium and Workshops on a World of Wireless, Mobile and Multimedia Networks (WoWMoM'13)*, 2013.
- [27] Nojin Kwak, Barry Radler, et al. A comparison between mail and web surveys: Response pattern, respondent profile, and data quality. *Journal Of Official Statistics-Stockholm*, 18(2):257–274, 2002.
- [28] Georgios Larkou, Panayiotis Andreou, Andreas Konstantinidis, and Demetrios Zeinalipour-Yazti. SmartLab: Empowering Mobile Computing Research through an Open Smartphone Cloud. *ERCIM News 93, Special theme: Mobile Computing*, page 18. 2013.
- [29] Bibb Latané and John M Darley. Bystander "Apathy". *American Scientist*, 57(2):244–268, 1969.
- [30] Neal Lathia, Kiran K. Rachuri, Cecilia Mascolo, and Peter J. Rentfrow. Contextual Dissonance: Design Bias in Sensor-based Experience Sampling Methods. *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '13)*, 2013.
- [31] Abhinav Mehrotra, Mirco Musolesi, Robert Hendley, and Veljko Pejovic. Designing Content-driven Intelligent Notification Mechanisms for Mobile Applications. *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*, 2015.
- [32] Abhinav Mehrotra, Jo Vermeulen, Veljko Pejovic, and Mirco Musolesi. Ask, but Don'T Interrupt: The Case for Interruptibility-aware Mobile Experience Sampling. *Proceedings of 4th ACM Workshop on Mobile Systems for Computational Social Science (MCSS'15) collocated with UbiComp/ISWC'15*, 2015.
- [33] Microsoft Developers. Microsoft: Kinect for Windows. <http://www.kinectforwindows.org/>. Accessed on 24th April 2016.
- [34] Microsoft Research Redmond. Microsoft Research Embedded Social Software Development Kit. Using pre-release version. Accessed on 29th April 2016.
- [35] Archan Misra and Rajesh Krishna Balan. LiveLabs: Initial Reflections on Building a Large-scale Mobile Behavioral Experimentation Testbed. *SIGMOBILE Mobile Computing Communications Review*, 17(4):47–59, Dec. 2013.
- [36] Kartik Muralidharan. *Enabling Real-Time In Situ Context-Based Experimentation to Observe User Behaviour*. PhD thesis, Technical report, Singapore Management University, 2015.
- [37] Kartik Muralidharan, Srinivasan Seshan, Narayan Ramasubbu, and Rajesh Krishna Balan. Handling Location Uncertainty in Event Driven Experimentation. *Proceedings of the 8th ACM International Conference on Distributed Event-Based Systems (DEBS '14)*, 2014.
- [38] Anandtirtha Nandugudi, Anudipa Maiti, Taeyeon Ki, Fatih Bulut, Murat Demirbas, Tevfik Kosar, Chunming Qiao, Steven Y. Ko, and Geoffrey Challen. PhoneLab: A Large Programmable Smartphone Testbed. *Proceedings of First International Workshop on Sensing and Big Data Mining (SENSEMINE'13)*, 2013.
- [39] Huy Hoang Nguyen, Nakul Gulati, Youngki Lee, and Rajesh Krishna Balan. Real-time Detection Of Seat Occupancy & Hogging. *Proceedings of the 2015 International Workshop on Internet of Things towards Applications (IoT-App) collocated with SenSys'15*, 2015.
- [40] Ashkan Nikravesh, Hongyi Yao, Shichang Xu, David Choffnes, and Z. Morley Mao. Mobilyzer: An Open Platform for Controllable Mobile Network Measurements. *Proceedings of the 13th Annual International Conference on Mobile Systems, Applications, and Services (MobiSys '15)*, 2015.
- [41] Timo Ojala, Jukka Orajarvi, Katriina Puhakka, Ilari Heikkinen, and Juhani Heikka. panOULU: Triple Helix Driven Municipal Wireless Network Providing Open and Free Internet Access. *Proceedings of the 5th International Conference on Communities and Technologies (C&T '11)*, 2011.
- [42] Tadashi Okoshi, Yu Lu, Chetna Vig, Youngki Lee, Rajesh Krishna Balan, and Archan Misra. QueueVadis: Queuing Analytics Using Smartphones. *Proceedings of the 14th International Conference on Information Processing in Sensor Networks (IPSN '15)*, 2015.
- [43] Tadashi Okoshi, Jin Nakazawa, and Hideyuki Tokuda. Attelia: Reducing User's Cognitive Load due to Interruptive Notifications on Smart Phones. *Proceedings of the 2015 IEEE International Conference on Pervasive Computing and Communications (PerCom '15)*, 2015.
- [44] Kiran K. Rachuri, Mirco Musolesi, Cecilia Mascolo, Peter J. Rentfrow, Chris Longworth, and Andrius Aucinas. EmotionSense: A Mobile Phones Based Adaptive Platform for Experimental Social Psychology Research. *Proceedings of the 12th ACM international conference on Ubiquitous computing (UbiComp '10)*, 2010.
- [45] Meera Radhakrishnan, Sharanya Eswaran, Archan Misra, Deepthi Chander, and Koustuv Dasgupta. IRIS: Tapping Wearable Sensing to Capture In-Store Retail Insights on Shoppers. *Proceedings of the 2016 IEEE International Conference on Pervasive Computing and Communications (PerCom'16)*, 2016.
- [46] Meera Radhakrishnan, Archan Misra, Rajesh Krishna Balan, and Youngki Lee. Smartphones & BLE Services: Empirical Insights. *Proceedings of the 2015 IEEE 12th International Conference on Mobile Ad Hoc and Sensor Systems (MASS'15)*, 2015.
- [47] D. Raychaudhuri, I. Seskar, M. Ott, S. Ganu, K. Ramachandran, H. Kremo, R. Siracusa, H. Liu, and M. Singh. Overview of the ORBIT radio grid testbed for evaluation of next-generation wireless network protocols. *Proceedings of the IEEE Wireless Communications and Networking Conference (WCNC'05)*, 2005.
- [48] Luis Sanchez, Luis Muñoz, Jose Antonio Galache, Pablo Sotres, Juan R. Santana, Veronica Gutierrez, Rajiv Ramdhany, Alex Gluhak, Srdjan Krco, Evangelos Theodoridis, and Dennis Pfisterer. SmartSantander: IoT experimentation over a smart city testbed. *Computer Networks*, 61:217 – 238, 2014. Special issue on Future Internet Testbeds - Part I.
- [49] Linda J. Sax, Shannon K. Gilmartin, and Alyssa N. Bryant. Assessing Response Rates and Nonresponse Bias in Web and Paper Surveys. *Research in Higher Education*, 44(4):409–432, 2003.
- [50] Rijurekha Sen, Youngki Lee, Kasthuri Jayarajah, Archan Misra, and Rajesh Krishna Balan. GruMon: Fast and Accurate Group Monitoring for Heterogeneous Urban

- Spaces. *Proceedings of the 12th ACM Conference on Embedded Network Sensor Systems (SenSys '14)*, 2014.
- [51] Sougata Sen, Vigneshwaran Subbaraju, Youngki Lee, Rajesh Krishna Balan, and Archan Misra. Annapurna: Smartwatch based Food Diary & Eating Analytics. *Under review for the 14th ACM Conference on Embedded Networked Sensor Systems (SenSys'16)*, 2016.
- [52] Sougata Sen, Vignesh Subbaraju, Archan Misra, Rajesh Krishna Balan, and Youngki Lee. The case for smartwatch-based diet monitoring. *Proceedings of 2015 IEEE International Conference on Pervasive Computing and Communication Workshops (WristSense'15)*, 2015.
- [53] Aaron Striegel, Shu Liu, Lei Meng, Christian Poellabauer, David Hachen, and Omar Lizardo. Lessons Learned from the Netsense Smartphone Study. *Proceedings of the 5th ACM Workshop on HotPlanet (HotPlanet '13)*, 2013.
- [54] Kiat Wee Tan, Eduardo Cuervo, and Rajesh Krishna Balan. FOCUSVR: Effective & Usable VR Display Power Management. *Under review for the 14th ACM Conference on Embedded Networked Sensor Systems (SenSys'16)*, 2016.
- [55] Kiat Wee Tan, Tadashi Okoshi, Archan Misra, and Rajesh Krishna Balan. FOCUS: A Usable & Effective Approach to OLED Display Power Management. *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing, UbiComp '13*, 2013.
- [56] Daniel T. Wagner, Daniel R. Thomas, Alastair R. Beresford, and Andrew Rice. Device Analyzer: A Privacy-aware Platform to Support Research on the Android Ecosystem. *Proceedings of the 8th ACM Conference on Security & Privacy in Wireless and Mobile Networks (WiSec '15)*, 2015.
- [57] Rui Wang, Fanglin Chen, Zhenyu Chen, Tianxing Li, Gabriella Harari, Stefanie Tignor, Xia Zhou, Dror Ben-Zeev, and Andrew T. Campbell. StudentLife: Assessing Mental Health, Academic Performance and Behavioral Trends of College Students Using Smartphones. *Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '14)*, 2014.
- [58] Rui Wang, Gabriella Harari, Peilin Hao, Xia Zhou, and Andrew T. Campbell. SmartGPA: How Smartphones Can Assess and Predict Academic Performance of College Students. *Proceedings of the 2015 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*, 2015.
- [59] Zhixian Yan, Vigneshwaran Subbaraju, Dipanjan Chakraborty, Archan Misra, and Karl Aberer. Energy-Efficient Continuous Activity Recognition on Mobile Phones: An Activity-Adaptive Approach. *Proceedings of the 2012 16th Annual International Symposium on Wearable Computers (ISWC '12)*, 2012.
- [60] Nairan Zhang, Rajesh Krishna Balan, Archan Misra, and Youngki Lee. Practical Indoor Localisation In Commercial Buildings. *Under review for the 14th ACM Conference on Embedded Networked Sensor Systems (SenSys'16)*, 2016.